

PRINTER RUSH
(PTO ASSISTANCE)

Application : 09/745813 Examiner : Beauvalier GAU : 2184

From: TW Location: IDC FME FDC Date: 1-31-04

Tracking #: 6021268 Week Date: 10-25-04

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW	<u>4-2-01</u>	
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

RECEIVED
FEB 02 2004
Publishing Division
13

[RUSH] MESSAGE:

There was no Formal Drawing for Figure 11 filed originally. The Amendment dated 4-2-04 is correcting the specification but the drawings have not been updated. Original Figures 12-14 are new 11-13.

Please verify

Thank You
TW

[XRUSH] RESPONSE: Informed Applicant of MPEP 714.616 (II)
Will file CON to fix drawings or Petition

INITIALS: BPB

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04